

目次

采用钼镍薄膜的声表面波氢气传感器研究·····	梅盛超,王 文,雷 刚(1)
基于 ScAlN/FeGa 结构的磁电声表面波谐振器 ·····	姜建利,杨雪梅,刘 婉,白飞明(4)
考虑封装的 SAW 谐振式传感器仿真研究 ·····	蔡飞达,李红浪,柯亚兵,田亚会,卢孜筱(9)
BST-BT _{4/13} 复合陶瓷介电调谐性能的研究 ·····	郑 瑞,金灯仁,徐 凯,程晋荣(12)
分布式光纤传感技术在蜗壳模型试验中的应用 ·····	李 洁,张宏战,任 亮,李宏男,袁超林(17)
一种悬臂梁式光纤光栅振动传感器研究 ·····	贾振安,张 星,李 康,樊庆康(21)
A、B 位空位比对 PZT 压电性能的影响 ·····	成炎炎,李 坤,陈 森,杨国庆(25)
基于 FPGA 和 DDS 的声光调制器驱动电路的实现 ·····	游 峰,陈 滔,孔 伟,刘 豪,舒 嵘,胡以华(30)
磁流体包覆薄包层光纤光栅磁场传感研究 ·····	梁 星,杨武海,刘 鑫,张 伟,刘颖刚(34)
十字型结构声子晶体带隙及等效模型研究 ·····	贺子厚,赵静波,姚 宏,蒋娟娜,张 帅(40)
FBG-相似材料传感器埋入模型内部实验研究 ·····	曾 鹏,孙阳阳,由泽伟,章征林(46)
面向核电状态监测用的压电加速度传感器设计 ·····	袁宇鹏,王登攀,李小飞,李 军,胡 杨,曾翔豹,王音心,张祖伟(49)
基于 FBG 的测斜传感器设计与实现·····	李俊鑫,强小俊,郎向伟(53)
镜像单元周期性固液声子晶体中谐振的研究·····	席 锋,陈 刚(57)
溶胶-凝胶法制备掺钒 ZnO 纳米粉 ·····	樊青青,李东宁,李俊红(61)
CaTiO ₃ 对 Mg ₂ B ₂ O ₅ 微波介质陶瓷掺杂改性的研究·····	虞思敏,周晓华,孙成礼,张树人(64)
注射成型制备 0.94NBT-0.06BT 无铅压电陶瓷研究 ·····	张昌松,陈勃新,石玉洁,赵珂迪(68)
铝掺杂二氧化锰纳米线的制备及其电化学性能 ·····	潘 双,王 冰,马泽军,刘 亮,齐锦刚(72)
SOI 基栅控横向 PIN 蓝紫光探测器温度特性研究 ·····	谢海情,贾新亮,黄茂飞,李洁颖,彭永达,王 超,王 龙(76)
基于表面波的钢管砼界面剥离检测模拟分析 ·····	陈 潜,许 斌,陈洪兵(80)
纵振超声刀柄优化设计研究 ·····	吴立敏,文怀兴,隆志力(85)
基于钝化微分的压电微动平台 PID 控制 ·····	刘尔春,孙庆龙,卢志诚,惠相君,周鹏飞,汪家乐,孙靖康,崔玉国(89)
碳纤维布加固钢筋混凝土梁剥离检测试验研究 ·····	孙仲横,许 斌,贺 佳(94)
基于均一化模型的 MFC 悬臂梁静态变形分析 ·····	盛贤君,周少征(98)
谐振式光学陀螺锁频偏差的消除方法研究·····	孙 颖,张成飞,刘文耀,唐 军,刘 俊(102)
压电作动磁共振兼容手术机器人的研究进展·····	时运来,林瑜阳,张 军(106)
动态特性可调的微动平台优化设计·····	查雄飞,杨志军,胡颖怡(115)
两平动—转动三维并联压电微动平台的设计 ·····	张圣贤,孙庆龙,惠相君,周鹏飞,汪家乐,孙靖康,崔玉国(119)

非接触 PVDF 压电悬臂梁风能收集系统特性研究 白凤仙,马军红,孙建忠,董维杰(124)

压电陶瓷作动器的率相关迟滞建模与内模控制 贾高欣,王贞艳(130)

剪切式压电喷头多致动壁结构制备及特性分析..... 冯金磊,李 东,孔全存,李 勇,赵 翔(135)

基于运动学约束的履带通信车组合导航研究 武 萌,尹训锋(141)

基于 MFC 前馈补偿的抛物面天线型面控制方法 孙国钟,孙士勇,裴英博(146)

强跟踪五阶 CKF 算法在初始对准中的应用 王律化,石志勇,宋金龙,王海亮(150)

航姿系统矢量场传感器的完全校正..... 李 翔,刘耀华,宋百麒(157)

共面波导馈电的三陷波超宽带天线的设计..... 娄树勇,高海涛,许会芳(161)

.....

撤回声明 (24)

《压电与声光》征稿启事 (插 2)

2019 年《压电与声光》征订通知 (封四)

~~~~~

2019 年第 1 期广告索引

彩色广告

中国电科集团重庆声光电公司  
第二十六研究所通讯电子产业中心 封二

中国电科集团重庆声光电公司  
第二十六研究所材料与装备产业中心 封三

黑白广告

淄博宇海电子陶瓷有限公司 插 1

# PIEZOELECTRICS & ACOUSTOOPTICS

Vol. 41 No. 1 (Series 244) Feb. 2019 (Bimonthly) (Started in 1979)

---

## CONTENTS

|                                                                                                                                                              |                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Surface Acoustic Wave Hydrogen Gas Sensor Based on Pd-Ni Thin Film .....                                                                                     | MEI Shengchao, WANG Wen, LEI Gang(1)                                                                   |
| Magnetoelectric Surface Acoustic Wave Resonator Based on ScAlN/FeGa Structure .....                                                                          | JIANG Jianli, YANG Xuemei, LIU Wan, BAI Feiming(4)                                                     |
| Study on Simulation of SAW Resonant Sensor Considering Packaging .....                                                                                       | CAI Feida, LI Honglang, KE Yabing, TIAN Yahui, LU Zixiao(9)                                            |
| Study on Dielectric Tunable Properties of BST-BT <sub>4/13</sub> Composite Ceramics .....                                                                    | ZHENG Rui, JIN Dengren, XU Kai, CHENG Jinrong(12)                                                      |
| Application of Distributed Optical Fiber Sensing Technology in Model Test of Spiral Case .....                                                               | LI Jie, ZHANG Hongzhan, REN Liang, LI Hongnan, YUAN Chaolin(17)                                        |
| Study on a Cantilever Beam FBG Vibration Sensor .....                                                                                                        | JIA Zhen'an, ZHANG Xing, LI Kang, FAN Qinggeng(21)                                                     |
| Effects of A/B Vacancies Ratio on the Piezoelectric Performance of PZT Ceramics .....                                                                        | CHENG Yanyan, LI Kun, CHEN Sen, YANG Guoqing(25)                                                       |
| Implementation of Acousto-optic Modulator Driven Circuit Based on FPGA and Direct Digital Synthesizer .....                                                  | YOU Feng, CHEN Tao, KONG Wei, LIU Hao, SHU Rong, HU Yihua(30)                                          |
| Study on Magnetic Field Sensing through Packaging Thin Cladding FBG with Magnetic Fluid .....                                                                | LIANG Xing, YANG Wuhai, LIU Xin, ZHANG Wei, LIU Yinggang(34)                                           |
| Study on the Band Gap and Equivalent Model of the Cross Structure Phononic Crystal .....                                                                     | HE Zihou, ZHAO Jingbo, YAO Hong, JIANG Juanna, ZHANG Shuai(40)                                         |
| Experimental Study on Embedded Model of FBG-similar Material Sensor .....                                                                                    | ZENG Peng, SUN Yangyang, YOU Zewei, ZHANG Zhenglin(46)                                                 |
| Design of High Sensitive Piezoelectric Accelerometer for Nuclear Power Status Monitoring .....                                                               | YUAN Yupeng, WANG Dengpan, LI Xiaofei, LI Jun, HU Yang,<br>ZENG Xiangbao, WANG Yinxin, ZHANG Zuwei(49) |
| Design and Implementation of Clinometer Based on Fiber Bragg Grating .....                                                                                   | LI Junxin, QIANG Xiaojun, LANG Xiangwei(53)                                                            |
| Study on the Resonance in Periodic Solid-Liquid Phononic Crystal With Mirror Cells .....                                                                     | XI Feng, CHEN Gang(57)                                                                                 |
| Synthesis of Vanadium Doped ZnO Nanopowder by Sol-Gel Method .....                                                                                           | FAN Qingqing, LI Dongning, LI Junhong(61)                                                              |
| Study on Doping Modification Properties of Mg <sub>2</sub> B <sub>2</sub> O <sub>5</sub> Microwave Dielectric Ceramics by CaTiO <sub>3</sub> Additives ..... | YU Simin, ZHOU Xiaohua, SUN Chengli, ZHANG Shuren(64)                                                  |
| Preparation of 0.94NBT-0.06BT Lead-Free Piezoelectric Ceramics by Injection Molding .....                                                                    | ZHANG Changsong, CHEN Boxin, SHI Yujie, ZHAO Kedi(68)                                                  |
| Preparation and Electrochemical Performance of Al-doped Manganese Dioxide Nanowires .....                                                                    | PAN Shuang, WANG Bing, MA Zejun, LIU Liang, QI Jingang(72)                                             |
| Study on Temperature Characteristics of SOI-based Grating Controlled Lateral PIN Blue/Violet Photodetector .....                                             | XIE Haiqing, JIA Xinliang, HUANG Maofei, LI Jieying, PENG Yongda,<br>WANG Chao, WANG Long(76)          |

|                                                                                                                                 |                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Simulation Analysis of Detection of Interface Debonding in Concrete-filled Steel Tube Based on Surface Wave .....</b>        | CHEN Qian, XU Bin, CHEN Hongbing(80)                                                                          |
| <b>Study on Optimization Design of Ultrasonic Shank With Longitudinal Vibration .....</b>                                       | WU Limin, WEN Huaixing, LONG Zhili(85)                                                                        |
| <b>PID Control of Piezoelectric Micro-positioning Stage Based on Passivation Differential .....</b>                             | LIU Erchun, SUN Qinglong, LU Zhicheng, HUI Xiangjun, ZHOU Pengfei,<br>WANG Jiale, SUN Jingkang, CUI Yuguo(89) |
| <b>Experimental Study on Debonding Defects Detection of CFRP-strengthened RC Beam .....</b>                                     | SUN Zhongheng, XU Bin, HE Jia(94)                                                                             |
| <b>Static Deformation Analysis of MFC Cantilever Beam Based on Homogenization Model .....</b>                                   | SHENG Xianjun, ZHOU Shaozheng(98)                                                                             |
| <b>Research on Elimination Method of the Locking Frequency Deviation of Resonant Optical Gyroscope .....</b>                    | SUN Ying, ZHANG Chengfei, LIU Wenyao, TANG Jun, LIU Jun(102)                                                  |
| <b>Recent Development on Magnetic Resonance Compatible Surgical Robots Driven by Piezoelectric Actuator .....</b>               | SHI Yunlai, LIN Yuyang, ZHANG Jun(106)                                                                        |
| <b>Optimization Design of Micro-Motion Stage With Adjustable Dynamic Characteristics .....</b>                                  | ZHA Xiongfei, YANG Zhijun, HU Yingyi(115)                                                                     |
| <b>Design of Three Dimensional Parallel Piezoelectric Micro-Motion Platform With Two Translations and One Rotation .....</b>    | ZHANG Shengxian, SUN Qinglong, HUI Xiangjun, ZHOU Pengfei,<br>WANG Jiale, SUN Jingkang, CUI Yuguo(119)        |
| <b>Study on Characteristic of Non-contact Wind Energy Harvesting System Based on PVDF Piezoelectric Cantilevers .....</b>       | BAI Fengxian, MA Junhong, SUN Jianzhong, DONG Weijie(124)                                                     |
| <b>Modeling of Rate-dependent Hysteresis and Internal Model Control of Piezoelectric Ceramic Actuators .....</b>                | JIA Gaoxin, WANG Zhenyan(130)                                                                                 |
| <b>Preparation and Characteristic Analysis for Multi-actuating Wall Structure of Shear Mode Piezoelectric Inkjet Head .....</b> | FENG Jinlei, LI Dong, KONG Quancun, LI Yong, ZHAO Xiang(135)                                                  |
| <b>Research on Integrated Navigation of Tracked Communication Vehicles Based on Kinematic Constraint .....</b>                  | WU Meng, YIN Xunfeng(141)                                                                                     |
| <b>Paraboloid Antenna Surface Control Method Based on MFC Feedforward Compensation .....</b>                                    | SUN Guozhong, SUN Shiyong, PEI Yingbo(146)                                                                    |
| <b>Application of Strongly Tracking 5-order CKF Algorithm in Inertial Navigation .....</b>                                      | WANG Lyuhua, SHI Zhiyong, SONG Jinlong, WANG Hailiang(150)                                                    |
| <b>Complete Calibration of Vector Field Sensor in Attitude and Heading Reference System .....</b>                               | LI Xiang, LIU Yaohua, SONG Baiqi(157)                                                                         |
| <b>Design of a CPW Fed UWB Antenna With Triple-Band Notch .....</b>                                                             | LOU Shuyong, GAO Haitao, XU Huifang(161)                                                                      |

**Competent Department:** China Electronics Technology Group Corporation  
**Sponsored by:** Sichuan Institute of Piezoelectric and Acoustooptic Technology

**Chief Editor:** HU Shaoqin  
**Executive Chief Editor:** XU Xin  
**Managing Editor:** YANG Li

**Edited and Published by:** Editorial Office of Journal of  
 PIEZOELECTRICS & ACOUSTOOPTICS

**Address:** No. 14 Garden Road, Nanping, Nanan District Chongqing City, Chongqing 400060

**Tel:** (023)65860260  
**Fax:** (023)62803425  
**E-mail:** ydsgsipat@163.com  
**http:** //www. peaotec.com

**Distributed by:** Editorial Office of Journal of  
 PIEZOELECTRICS & ACOUSTOOPTICS